



---

**The Rodney L. White Center for Financial Research**

*Solving Models with External Habit*

**Jessica A. Wachter**

**29-05**

The Wharton School  
**University of Pennsylvania**

# Solving Models with External Habit\*

Jessica A. Wachter<sup>†</sup>

University of Pennsylvania and NBER

August 7, 2005

## Abstract

Habit utility has been the focus of a large and growing body of literature in financial economics. This study investigates ways of accurately and efficiently solving the Campbell and Cochrane (1999) external habit model. Solutions for this model based on a grid of values for the state variable are shown to converge as the grid becomes increasingly fine. Convergence is substantially faster if the price-dividend ratio is computed as a series of “zero-coupon equity” claims rather than as the fixed-point of the Euler equation. Fitting the model to the term structure as well as to equity moments (as in Wachter (2005)) also results in faster convergence.

---

\*I am grateful to John Campbell, Thomas Cosimano, Motohiro Yogo, and Harold Zhang (the reviewer) for helpful comments.

<sup>†</sup>Address: The Wharton School, University of Pennsylvania, 3620 Locust Walk, Philadelphia, PA 19104; Tel: (215) 898-7634; Email: [jwachter@wharton.upenn.edu](mailto:jwachter@wharton.upenn.edu); <http://finance.wharton.upenn.edu/~jwachter/>

## Introduction

Habit utility has been the focus of a large and growing body of literature in financial economics. Constantinides (1990) and Sundaresan (1989) show that habit preferences, which assume an agent's previous consumption affects his utility from current consumption, can help explain the high equity premium documented by Mehra and Prescott (1985). Abel (1990) shows that preferences where the agent evaluates consumption relative to past aggregate consumption ("catching up with the Joneses") can also help resolve the equity premium puzzle. In both types of models, consumption is evaluated relative to a time-varying reference point, however, in the Abel model this reference point is external in that the agent's current consumption choice does not affect future utility. For this reason, "catching up with the Joneses" preferences are sometimes referred to as external habit formation. Building on these contributions, Campbell and Cochrane (1999) show that a model where utility is a function of consumption minus external habit is capable of reconciling the low standard deviation of consumption growth with a high equity premium, high volatility of returns, and a low and smooth riskfree rate. Recently, external habit models have been extended to address a broad range of phenomena (see, e.g., Abel (1999), Brandt and Wang (2003), Buraschi and Jiltsov (2003), Campbell and Cochrane (2000), Chan and Kogan (2002), Dai (2000), Lettau and Uhlig (2000), Menzly, Santos, and Veronesi (2004), Pastor and Veronesi (2004), Wachter (2005)), and tested in a variety of ways (see, e.g., Chen and Ludvigson (2003), Duffee (2004), Gomes and Michaelides (2003), Korniotis (2005), Li (2001), Tallarini and Zhang (2004)). Given the enduring interest in external habit models, it is important to investigate ways of solving such models accurately and efficiently.

This study focuses on the external habit model of Campbell and Cochrane (1999) and its extension in Wachter (2005). Both papers solve for the price-dividend ratio by iterating on a grid of values for the state variable. While choosing a grid that is too coarse can lead to inaccuracies, this study shows that for both calibrations of the model (Campbell and Cochrane; Wachter), the solution for the price-dividend ratio converges as the grid becomes finer. Convergence is substantially faster if the price-dividend ratio is computed as a series of "zero-coupon equity" claims, rather than as the fixed-point of the Euler equation. Fitting the model to the term structure as well as to equity moments (as in Wachter (2005)) also results in faster convergence.

The remainder of this paper is organized as follows. Section 1 briefly describes the model for the representative agent and the aggregate endowment. Section 2 describes the solution techniques explored in this paper, Section 3 the calibration, and Section 4 the results. Extensions to the basic

model are considered in the Appendix.

## 1 Model

This section briefly describes the external habit model of Campbell and Cochrane (1999) and its extension in Wachter (2005). Identical investors are assumed to have utility over consumption relative to a reference point  $X_t$ :

$$E \sum_{t=0}^{\infty} \delta^t \frac{(C_t - X_t)^{1-\gamma} - 1}{1-\gamma}, \quad (1)$$

where  $\delta > 0$  is the time preference parameter and  $\gamma > 0$  is a curvature parameter. Habit,  $X_t$ , is defined through surplus consumption  $S_t$ , where

$$S_t \equiv \frac{C_t - X_t}{C_t}.$$

It is assumed that  $s_t = \ln S_t$  follows the process

$$s_{t+1} = (1 - \phi)\bar{s} + \phi s_t + \lambda(s_t)(\Delta c_{t+1} - E(\Delta c_{t+1})), \quad (2)$$

where  $\bar{s}$  is the unconditional mean of  $s_t$ ,  $\phi$  is the persistence, and  $\lambda(s_t)$  is the sensitivity to changes in consumption. In what follows,  $\bar{s}$  and  $\lambda(s_t)$  will be specified in terms of the primitive parameters. Aggregate consumption  $C_t$  follows a random walk:

$$\Delta c_{t+1} = g + v_{t+1}, \quad (3)$$

where  $c_t = \ln C_t$  and  $v_{t+1}$  is a  $N(0, \sigma_v^2)$  shock that is independent across time.

The process for  $s_t$  is heteroscedastic and perfectly conditionally correlated with innovations in consumption growth. The sensitivity function  $\lambda(s_t)$  is specified so that  $r_{t+1}^f$  is linear and that for  $s_t \approx \bar{s}$ ,  $x_t$  is a deterministic function of past consumption. These considerations imply that

$$\lambda(s_t) = (1/\bar{S})\sqrt{1 - 2(s_t - \bar{s})} - 1 \quad (4)$$

$$\bar{S} = \sigma_v \sqrt{\frac{\gamma}{1 - \phi - b/\gamma}}, \quad (5)$$

where  $b$  is a preference parameter that determines the behavior of the riskfree rate. In order that the quantity within the square root remain positive,  $\lambda(s_t)$  is set to be 0 when  $s_t > s_{\max}$ , for

$$s_{\max} = \bar{s} + \frac{1}{2}(1 - \bar{S}^2). \quad (6)$$

In Campbell and Cochrane (1999),  $b$  is chosen to be zero to produce a constant real riskfree rate. Wachter (2005) shows that values of  $b > 0$  allow the model to capture aspects of the term structure of interest rates.

Because habit is external, the investor's intertemporal marginal rate of substitution is given by

$$M_{t+1} \equiv \delta \left( \frac{S_{t+1} C_{t+1}}{S_t C_t} \right)^{-\gamma}. \quad (7)$$

Any asset return  $R_{t+1}$  must satisfy

$$E_t [M_{t+1} R_{t+1}] = 1. \quad (8)$$

Let  $R_{t+1}^f$  denote the one-period real riskfree rate between  $t$  and  $t+1$ , and  $r_{t+1}^f = \ln R_{t+1}^f$ . Because  $R_{t+1}^f$  is known at  $t$ , applying (8) implies

$$r_{t+1}^f = \ln(1/E_t[M_{t+1}]) \quad (9)$$

$$= -\ln \delta + \gamma g + \gamma(1 - \phi)(\bar{s} - s_t) - \frac{\gamma^2 \sigma_v^2}{2} (1 + \lambda(s_t))^2. \quad (10)$$

Strictly speaking, (10) is an approximation, as it assumes there is a zero probability of  $s_t$  rising above  $s_{\max}$ . Because  $s_t > s_{\max}$  occurs very rarely for relevant parameter values, the approximation in (10) is highly accurate, as shown in what follows. Substituting the equation for  $\lambda(s_t)$  into (10) produces the equation

$$r_{t+1}^f = -\ln \delta + \gamma g - \frac{\gamma(1 - \phi) - b}{2} + b(\bar{s} - s_t). \quad (11)$$

Thus (4) implies a riskfree rate that is linear in  $s_t$ .

The aggregate market is represented as the claim to the future consumption stream. If  $P_t$  denotes the ex-dividend price of this claim, then (8) implies that in equilibrium  $P_t$  satisfies

$$E_t \left[ M_{t+1} \left( \frac{P_{t+1} + C_{t+1}}{P_t} \right) \right] = 1$$

which can be rewritten as

$$E_t \left[ M_{t+1} \left( \frac{P_{t+1}}{C_{t+1}} + 1 \right) \frac{C_{t+1}}{C_t} \right] = \frac{P_t}{C_t}. \quad (12)$$

Because  $C_t$  is the dividend paid by the aggregate market,  $P_t/C_t$  is the price-dividend ratio.<sup>1</sup>

---

<sup>1</sup>It is possible to model aggregate dividends as separate from aggregate consumption. Campbell and Cochrane (1999) introduce a dividend process  $D_t$ , where  $d_t = \ln D_t$  and explore a model with

$$\Delta d_{t+1} = g + w_{t+1}$$

The model is simulated by drawing from the consumption process (3), feeding these draws through (2) to obtain draws for  $s_t$ , and then using the  $s_t$  values to obtain draws for the riskfree rate and the price-dividend ratio. Returns on the aggregate market are simulated using

$$R_{t+1}^m = \frac{(P_{t+1}/C_{t+1}) + 1}{P_t/C_t} \frac{C_{t+1}}{C_t}. \quad (13)$$

Whatever difficulties lie in solving the model lie in solving (12) for the price-dividend ratio as a function of  $s_t$ , and, to a lesser extent, solving (9) for the riskfree rate.

## 2 Solution methods

The riskfree rate can be computed directly by solving the expectation in (9), where

$$E_t [M_{t+1}] = \delta e^{-\gamma(g+(1-\phi)(\bar{s}-s_t))} \int_{-\infty}^{\infty} p(v) e^{-\gamma(\lambda(s_t)+1)v} dv, \quad (14)$$

and  $p(v)$  is the probability density function of a normal distribution with mean zero and standard deviation  $\sigma_v$ .<sup>2</sup> Computing the price-dividend ratio is less straightforward. One method, used by Campbell and Cochrane (1999) and referred to here as the *fixed-point* method, involves solving (12) recursively. Conjecturing a solution  $G^0(s_t)$ ,  $G^1(s_t)$  is obtained on a grid of values for  $s_t$  as

$$\begin{aligned} G^1(s_t) &= E_t \left[ M_{t+1} (G^0(s_{t+1}) + 1) \frac{C_{t+1}}{C_t} \right] \\ &= \delta e^{(1-\gamma)g-\gamma(1-\phi)(\bar{s}-s_t)} \int_{-\infty}^{\infty} p(v) e^{(1-\gamma)v-\gamma\lambda(s_t)v} (G^0((1-\phi)\bar{s} + \phi s_t + \lambda(s_t)v) + 1) dv \end{aligned} \quad (15)$$

More generally, given  $G^k$ ,  $G^{k+1}$  satisfies

$$G^{k+1}(s_t) = \delta e^{(1-\gamma)g-\gamma(1-\phi)(\bar{s}-s_t)} \int_{-\infty}^{\infty} p(v) e^{(1-\gamma)v-\gamma\lambda(s_t)v} (G^k((1-\phi)\bar{s} + \phi s_t + \lambda(s_t)v) + 1) dv.$$

The procedure is repeated until  $G^{k+1}$  and  $G^k$  differ by at most  $10^{-4}$ . The resulting fixed point is the solution  $G(s_t)$  to (12). Chen, Cosimano, and Himonas (2004) show that this recursive definition

where  $w_{t+1}$  and  $v_{t+1}$  are correlated processes. Wachter (2000), following Campbell (1986) and Abel (1999), allows dividends to be a levered claim on consumption:

$$D_t = C_t^\theta.$$

Prices for these claims can be determined by straightforward modifications to (12). Both have the potential disadvantage that the consumption-dividend ratio is non-stationary: either the claim to dividends or the claim to consumption eventually takes over the economy. An alternative is to assume that consumption and dividends are co-integrated. Appendix A shows how to modify (12) to such a model.

<sup>2</sup>Solving this integral requires a choice of bounds on the shock, as well as a choice of numerical integration routine. Here, and in the rest of this paper, Gauss-Legendre 40-point quadrature is used, and the integral is bounded by  $-8$  and  $+8$  standard deviations. Increasing the number of standard deviations in the integral has a negligible effect on the results.

of the price-dividend ratio is well-defined, continuous, and smooth in a wide interval. Each step in this recursion requires computing the function obtained in the previous step at a set of points  $\{(1 - \phi)\bar{s} + \phi s_t + v_j\}$  (where  $\{v_j\}$  is determined by the numerical integration routine) for each value of  $s_t$ . These points generally lie outside of the grid. To evaluate  $G^k$  at these points, Campbell and Cochrane (1999) use log-linear interpolation. That is, they assume that  $\ln G^k$  is approximately linear in  $\ln s_t$ .

A second way of solving for the price-dividend ratio also takes (12) as the starting point. Iterating (12)  $N$  times produces

$$G^N(s_t) = \sum_{n=1}^N E_t \left[ \left( \prod_{j=1}^n M_{t+j} \right) \frac{C_{t+n}}{C_t} \right] + E_t \left[ \left( \prod_{j=1}^N M_{t+j} \right) \frac{C_{t+N}}{C_t} G^0(s_{t+N}) \right], \quad (16)$$

where  $M_{t+j} \equiv \delta \left( \frac{S_{t+j}}{S_{t+j-1}} \frac{C_{t+j}}{C_{t+j-1}} \right)^{-\gamma}$  for  $j \geq 1$ . Assuming one has chosen an initial  $G^0$  such that

$$\lim_{N \rightarrow \infty} E_t \left[ \left( \prod_{j=1}^N M_{t+j} \right) \frac{C_{t+N}}{C_t} G^0(s_{t+N}) \right] = 0,$$

(16) implies a convenient characterization of the price-dividend ratio as an infinite sum of expectations:

$$G(s_t) \equiv \lim_{N \rightarrow \infty} G^N(s_t) = \sum_{n=1}^{\infty} E_t \left[ \left( \prod_{j=1}^n M_{t+j} \right) \frac{C_{t+n}}{C_t} \right] \quad (17)$$

Each term in (17) is the time- $t$  price of a claim to the aggregate dividend  $n$  periods from now divided by the dividend today. This can be thought of as “zero-coupon equity” with maturity  $n$ .

Equation (17) suggests another way of solving for the price-dividend ratio: computing each expectation on the right-hand side of (17), or at least enough terms so that what remains is sufficiently small. This can be done recursively, using the Euler equation (8). Let  $F_n(s_t)$  denote the  $n$ th term in this expectation:

$$F_n(s_t) = E_t \left[ \left( \prod_{j=1}^n M_{t+j} \right) \frac{C_{t+n}}{C_t} \right]. \quad (18)$$

$F_n(s_t)C_t$  is then the price of zero-coupon equity that matures in  $n$  periods. Because this security pays no dividends, its one-period return equals

$$R_{n,t+1} = \frac{F_{n-1}(s_{t+1})C_{t+1}}{F_n(s_t)C_t}$$

and (8) implies

$$F_n(s_t) = E_t \left[ M_{t+1} \frac{C_{t+1}}{C_t} F_{n-1}(s_{t+1}) \right]. \quad (19)$$

Finally, when the equity matures it pays the aggregate dividend. Therefore  $F_0(s_t) = 1$ .<sup>3</sup> Finally,

$$G(s_t) = \sum_{n=1}^{\infty} F_n(s_t).$$

Similar computations to solve for the aggregate price-dividend ratio have been employed in Ang and Liu (2003), Bekaert, Engstrom, and Grenadier (2004), and Lettau and Wachter (2005).

Iterating on (19) (using  $F_0(s_t) = 1$  to start the process), and summing the terms is a second method of solving for the price-dividend ratio of the aggregate market. I call this the *series* method. Like the fixed-point method, the series method must also be implemented numerically. The recursion (19) has no closed-form solution, and is solved on a grid of values for  $s_t$ . Given  $F_{n-1}(s_t)$ ,

$$F_n(s_t) = \delta e^{(1-\gamma)g - \gamma(1-\phi)(\bar{s} - s_t)} \int_{-\infty}^{\infty} p(v) e^{(1-\gamma)v - \gamma\lambda(s_t)v} F_{n-1}((1-\phi)\bar{s} + \phi s_t + \lambda(s_t)v) dv$$

As in the fixed-point method,  $F_{n-1}((1-\phi)\bar{s} + \phi s_t + v)$  is found by interpolating between grid points.

These calculations rely on numerical methods to evaluate the solution for the price-dividend ratio. Having a closed-form solution would obviate the need for these methods, but such a solution is not apparent. The lack of an explicit expression does not arise from the assumption of discrete time, as Appendix B shows. While the stochastic discount factor  $M_{t+1}$ , as well as the riskfree rate  $r_{t+1}^f$  share certain similarities with continuous-time, affine term structure models of the Cox, Ingersoll, and Ross (1985) form they are in fact quite different. In continuous time, a version of the formula (10) for the riskfree rate is exact rather than approximate. However, this is a minor gain, as the discussion below makes clear. The solution for zero-coupon claims satisfies a differential equation in  $s_t$  and the maturity, but this differential equation does not have an exponential-affine solution.<sup>4</sup>

### 3 Calibration

To address the accuracy of the fixed-point and series methods, it is necessary to choose reasonable parameter values. Two sets of parameter values are considered. The first set is from Campbell

---

<sup>3</sup>These relations can also be derived directly from (18).

<sup>4</sup>Menzly, Santos, and Veronesi (2004) specify a different process for surplus consumption  $S_t$ . In their specification, it is possible to find a closed-form solution in continuous time.



and Cochrane (1999). Campbell and Cochrane choose this set of parameters to fit the mean and volatility of consumption growth, the average riskfree rate, the Sharpe ratio, and the persistence of the price-dividend ratio in annual data from 1947 until 1995. The parameter  $b$  is set to zero, and therefore the (real) riskfree rate is constant. Campbell and Cochrane calculate the price-dividend ratio using the fixed-point method, simulate the model at a monthly frequency, and aggregate the data to an annual frequency.

The second set of parameters is from Wachter (2005). Wachter (2005) chooses this set to fit the same equity moments as in Campbell and Cochrane, but in quarterly data from 1952 until 2004. A more important difference is that  $b$  is allowed to differ from zero to match the upward-sloping yield curve for nominal Treasury bonds. This choice of parameters is shown to account for features of the term structure of interest rates. This model is simulated at a quarterly frequency. Parameter values for both calibrations are reported in Table 1.

## 4 Results

To assess the accuracy of the fixed-point and series methods, I first calculate the solution under each method using three different grids, and under both the Campbell and Cochrane (1999) and Wachter (2005) calibrations. The first grid (“Grid 1”) is identical to that used by Campbell and Cochrane. To form this grid, 12 points are chosen at equally spaced intervals between 0 and  $S_{\max}$ .  $S_{\max}$  is included in the grid for a total of 13 points. Zero is not included because log-linear interpolation requires taking the log of  $S_t$ . To capture non-linear behavior of the price-dividend ratio near  $S_{\max}$ , additional points are added at intervals of 0.01, for a total of 17 grid points.<sup>5</sup>

The second grid (“Grid 2”) starts with Grid 1 and extends it to values of  $S_t$  closer to zero by adding points 0.0005, 0.0015, 0.0025, 0.0035, and 0.0045. Finally, the third grid (“Grid 3”) is finer and includes values much closer to zero. This grid is constructed in two parts, an upper segment and a lower segment. The upper segment consists of 101 equally spaced points  $S_t$  between 0 and  $S_{\max}$  with  $S_{\max}$  included. The lower segment consists of 900 logarithmically spaced points between the lowest point in the upper segment (e.g.  $\ln .0072$  for the Campbell and Cochrane parameter values), and -300.

Figure 1 illustrates the solution for the price-dividend ratio computed using each method (fixed-point or series) and each grid. The top panel shows results for Campbell and Cochrane (1999)

---

<sup>5</sup>For example, for the Campbell and Cochrane calibration, the values  $S_t$  included in Grid 1 are [0.0072 0.0144 0.0217 0.0289 0.0361 0.0433 0.0506 0.0578 0.0650 0.0722 0.0794 0.0867 0.0902 0.0911 0.0920 0.0930 0.0939].

parameter values and the bottom panel shows results for Wachter (2005) parameter values. Triangles denote the solution obtained with the fixed-point method; circles denote the solution obtained with the series method. Symbols are decreasing in size from the coarsest grid (Grid 1) to the finest grid (Grid 3). For the Campbell and Cochrane parameter values, the solution is the same for the fixed-point or the series method as long as the finest grid is used. However, the coarser grids produce solutions for the price-dividend ratio that are different from one another, and different from the solution produced by the finest grid. These differences are substantially smaller for the series method as compared to the fixed-point method.

The bottom panel of Figure 1 shows analogous results for parameter values from Wachter (2005). Once again, the solution is the same whether one uses the fixed-point or series method as long as the finest grid is used. Moreover, the series method produces accurate solutions for all three grids at these parameter values. Slight inaccuracies are present for the fixed-point method when Grids 1 and 2 are used, but on the whole the differences for the solutions across grids and methods are small.

Figure 1 shows that the solution for the price-dividend ratio depends on the choice of grid. Tables 2 and 3 show the consequences of this dependence for statistics in simulated data. For both sets of parameters, I simulate 100,000 years of data. Table 2 reports results for the Campbell and Cochrane (1999) calibration: the equity premium  $E(r^m - r^f)$ , where  $r^m = \ln R^m$ , the standard deviation of  $r^m - r^f$  and the Sharpe ratio (the equity premium divided by the standard deviation). This table also reports the skewness and kurtosis of returns, the mean of the riskfree rate, and the mean, standard deviation, and persistence of the log of the price-dividend ratio.

As Table 2 shows, the differences in the price-dividend ratio across grids lead to noticeable differences in simulated data. The first column contains results using Grid 1 and the fixed-point method.<sup>6</sup> The Sharpe ratio is 0.44, the equity premium is 6.6% per annum and the volatility of excess returns is 15%. The standard deviation of the price-dividend ratio is 0.27. When Grid 3 is used with the fixed-point method, the Sharpe ratio is 0.47, the equity premium is 3.9%, and the volatility is 8.2%. The standard deviation of the price-dividend ratio is 0.13.

Table 2 also shows that results in simulated data are virtually identical for the fixed-point and series methods, as long as the finest grid (Grid 3) is used. As in Figure 1, the series method gives more accurate results than the fixed-point method. Using Grid 1, for example, the equity premium under the series method is 4.4%, close to 3.9%, its value under Grid 3. Although differences in grids

---

<sup>6</sup>Slight differences from Campbell and Cochrane (1999) are due to simulation noise.

imply differences in equity moments, they do not result in differences for the riskfree rate. Under the Campbell and Cochrane (1999) calibration, the riskfree rate is constant, so the mean of the riskfree rate is identically equal to its value. As Table 2 shows, this value is always 0.94, regardless of which method or grid is used (indeed, 0.94 is also the value produced by the approximation (10)). It is not surprising that the choice of grid and method matters for the computation of the price-dividend ratio and not for the riskfree rate. The riskfree rate is computed using only one integral, while the price-dividend ratio is computed iteratively. This iterative procedure allows small errors to compound.

Table 3 contains analogous results for the Wachter (2005) calibration. The series method is again more accurate than the fixed-point method, and in fact the results are indistinguishable across all three grids when the series method is applied. At these parameter values, the model can match the equity premium, return volatility, and the volatility of the price-dividend ratio. Wachter shows that these parameter values also enable the model to capture important aspects of the term structure of interest rates. However, as noted by Tallarini and Zhang (2004), this type of model produces returns that are skewed in the opposite direction as returns in the data, and that exhibit less kurtosis than in the data.

I now turn to the question of whether the solution for the price-dividend ratio converges as the grid becomes increasingly fine. This is important in establishing both that Grid 3 is sufficiently fine (i.e. constructing an even finer grid would not produce a substantially different solution), and as a means of determining how coarse the grid can be without producing unacceptable errors.

To address the question of convergence, grids are varied along three dimensions. These dimensions are suggested by the construction of Grid 3. As described above, Grid 3 has an upper and a lower segment. The upper segment consists of equally spaced points between 0 and  $S_{\max}$ . The lower segment consists of logarithmically spaced points between a minimum value and the natural log of the lowest point in the upper segment. When viewed as a grid on  $S_t$ , the resulting grid is evenly spaced in the upper segment, and more dense in the lower segment, with the density increasing as  $S_t$  declines to zero. When viewed as a grid on  $s_t = \ln S_t$ , the grid is evenly spaced in the lower segment, and more dense in the upper segment, with the density increasing as  $s_t$  rises toward  $s_{\max}$ . To assess convergence, the grids are varied by decreasing the minimum value, increasing the density of the lower segment, and increasing the density of the upper segment. For each grid and method, the solution for the price-dividend ratio is compared to the solution computed using Grid 3 and the corresponding method. More precisely, the solution is subtracted from the solution computed

using Grid 3. This quantity is divided by the solution computed using Grid 3 and multiplied by 100. For the purposes of comparison, the solutions are evaluated at  $s_{\max}$ . Repeating the exercise using  $\bar{s}$  rather than  $s_{\max}$  yields results that are nearly identical; they are omitted for brevity.

Figure 2 shows the results of altering the minimum value, keeping other aspects of the grid the same as in Grid 3 (the number of points in the upper segment is maintained at 100 and the number of points in the lower segment is set at three times the minimum value, so that the density remains constant even as the minimum value changes). The least fine grid has a minimum value of zero, so there are no points in the lower segment. The finest grid has a minimum value of -300, and so is equal to Grid 3. The top graph shows results for the Campbell and Cochrane (1999) parameter values and the bottom graph shows results for the Wachter (2005) parameter values. The  $x$ -axis is in terms of the log of the minimum value. This figure shows that the solution converges to its Grid-3 value as the minimum value approaches -300 for both calibrations and methods. This convergence is faster for the series method than for the fixed-point method, and for the Wachter (2005) calibration, the errors are negligible for all grids under the series method.

Figures 3 and 4 display results for altering the the density in the lower segment and the upper segment respectively. In both cases, the log of the minimum value is kept at -300. For Figure 3, the number of points in the upper segment is maintained at 100, while for Figure 4, the number of points in the lower segment is maintained at 900. In both cases, the price-dividend ratio converges to the Grid-3 value. The convergence is faster for the Wachter (2005) parameter values, and the series method again results in substantially faster convergence as compared to the fixed-point method.

## 5 Conclusion

This paper has investigated two related methods of solving for the equilibrium price-dividend ratio in the Campbell and Cochrane (1999) model and its extension in Wachter (2005). Both methods involve solving for the price-dividend ratio of the consumption claim on a grid of values. The series method computes the price-dividend ratio as a sum of claims to individual future dividend payments. The fixed-point method computes the price-dividend ratio as a fixed point of the investor's Euler equation. If each method could be applied without error, they give identical solutions. However, because both methods involve numerical approximations, there may be differences. This paper has shown that the two methods indeed give the same answer if the grid used in the approximation is sufficiently fine. Moreover, the solution is shown to converge for both methods as the grid becomes finer. The speed of this convergence is shown to depend on the calibration: when the

model is calibrated to the term structure of interest rates as well as equity moments (as in Wachter (2005)), the solution converges more quickly. For both calibrations, the series method leads to substantially faster convergence and greater accuracy for any given grid.

## Appendix A

This Appendix solves the model in the case of cointegrated consumption and dividends. Let  $z_t = c_t - d_t$ , the consumption-dividend ratio, and assume that

$$z_{t+1} = (1 - \psi)\bar{z} + \psi z_t + w_{t+1},$$

where  $w_{t+1}$  is iid and jointly normally distributed with  $v_{t+1}$ . Let  $\rho$  denote the correlation between  $v_{t+1}$  and  $w_{t+1}$  and  $\sigma_w$  the standard deviation. The ex-dividend price of the claim to dividends,  $P^d$ , satisfies

$$E_t \left[ M_{t+1} \frac{P_{t+1}^d + D_{t+1}}{P_t} \right] = 1.$$

$P_{t+1}^d$  can be expressed as the sum of claims to individual dividends  $P_{nt}^d$  that satisfy

$$\begin{aligned} \frac{P_{nt}^d}{D_t} &= E_t \left[ M_{t+1} \frac{P_{n-1,t+1}^d}{D_{t+1}} \frac{D_{t+1}}{D_t} \right] \\ &= E_t \left[ M_{t+1} \frac{P_{n-1,t+1}^d}{D_{t+1}} e^{g+v_{t+1}-\Delta z_{t+1}} \right], \end{aligned} \quad (20)$$

with boundary condition

$$\frac{P_{0,t}^d}{D_t} = 1.$$

The presence of  $z_t$  adds a complication, as in principle the integration for the recursion (20) must be done over two variables. However, it turns out that  $P_{nt}^d$  can be written as

$$\frac{P_{n,t}^d}{D_t} = F_n^d(s_t) \exp \{A_n + B_n z_t\}, \quad (21)$$

where  $F^d$  satisfies the one-dimensional recursion

$$F_n^d(s_t) = E_t \left[ M_{t+1} e^{g+(1+(B_n-1)\rho\frac{\sigma_w}{\sigma_v})v_{t+1}} F_{n-1}^d(s_{t+1}) \right], \quad (22)$$

with boundary condition  $F_0^d(s_t) = 1$ .

I now verify equations (21) and (22) by substituting (21) into (20) and using the law of iterated expectations. A similar argument is used to obtain expressions for nominal bonds in Wachter (2005). Substituting in for  $P_{n-1,t+1}^d/D_{t+1}$  inside the expectation yields

$$\begin{aligned} \frac{P_{nt}^d}{D_t} &= E_t \left[ M_{t+1} F_{n-1}^d(s_{t+1}) \exp \{A_{n-1} + B_{n-1} z_{t+1}\} \exp \{g + v_{t+1} - \Delta z_{t+1}\} \right] \\ &= \exp \{A_{n-1} + (B_{n-1} - 1)(1 - \psi)\bar{z} + (B_{n-1}\psi - \psi + 1)z_t\} \\ &\quad \times E_t \left[ M_{t+1} e^{g+v_{t+1}} F_{n-1}^d(s_{t+1}) E \left[ e^{(B_{n-1}-1)w_{t+1}} \mid v_{t+1} \right] \right]. \end{aligned} \quad (23)$$

Conditional on  $v_{t+1}$ ,  $(B_{n-1} - 1)w_{t+1}$  is normally distributed:

$$(B_{n-1} - 1)w_{t+1}|v_{t+1} \sim N \left( (B_{n-1} - 1)\rho \frac{\sigma_w}{\sigma_v} v_{t+1}, (B_{n-1} - 1)^2 \sigma_w^2 (1 - \rho^2) \right),$$

so the inner expectation in (23) can be written as

$$E \left[ e^{(B_{n-1}-1)w_{t+1}} | v_{t+1} \right] = \exp \left\{ (B_{n-1} - 1)\rho \frac{\sigma_w}{\sigma_v} v_{t+1} + \frac{1}{2} (B_{n-1} - 1)^2 \sigma_w^2 (1 - \rho^2) \right\}.$$

Define recursions

$$A_n = A_{n-1} + (B_{n-1} - 1)(1 - \psi)\bar{z} + \frac{1}{2}(B_{n-1} - 1)^2 \sigma_w^2 (1 - \rho^2) \quad (24)$$

$$B_n = B_{n-1}\psi - \psi + 1, \quad (25)$$

and let  $A_0 = B_0 = 0$ . By induction, it follows that (21) is satisfied. Equation (25) and the boundary condition imply

$$B_n = (1 - \psi) \frac{1 - \psi^n}{1 - \psi}.$$

Using the decomposition (21), it is possible to solve this model using the series method described in Section 2. The recursion (22) is solved iteratively using quadrature. For any values of the state variables, a price-dividend ratio can be produced by interpolating to find the correct  $F_n^d(s_t)$ , and multiplying by  $e^{A_n + B_n z_t}$ . The price-dividend ratio for the aggregate market is equal to

$$\frac{P_t^d}{D_t} = \sum_{n=1}^{\infty} F_n^d(s_t) \exp \{ A_n + B_n z_t \}.$$

Note that a decomposition analogous to (21) does not hold for the market price-dividend ratio, and thus solving this model would be quite difficult with the fixed-point method.

## Appendix B

This Appendix describes a continuous-time version of the economy in Section 1. Let  $Z_t$  be a one-dimensional Brownian motion, and assume that the log of consumption follows:

$$dc_t = g dt + \sigma_v dZ_t.$$

Log surplus consumption  $s_t = \ln[(C_t - X_t)/C_t]$  is assumed to follow the process

$$ds_t = (1 - \phi)(\bar{s} - s_t) dt + \lambda(s_t)\sigma_v dZ_t.$$

Let  $\zeta_t$  denote the pricing kernel in this economy (see Duffie (1996, Chapter 6)), which will be determined endogenously in equilibrium. The pricing kernel follows the process

$$\frac{d\zeta_t}{\zeta_t} = -r_t^f dt - \eta_t dZ_t,$$

where  $r_t^f$  is the instantaneous riskfree rate (the continuous-time analogue to the one-period riskfree rate in Section 1), and  $\eta_t$  is the price of risk.

Identical agents maximize

$$E \int_0^\infty \delta^t \frac{(C_t - X_t)^{1-\gamma}}{1-\gamma} dt$$

subject to

$$E \left[ \int_0^\infty \zeta_t C_t \right] = W_0, \quad (26)$$

where  $W_0$  is the initial wealth in the economy. The condition for equilibrium equates marginal utility with a constant multiplied by the pricing kernel (see Duffie (1996, Chapter 10)):

$$\delta^t (S_t C_t)^{-\gamma} = k \zeta_t. \quad (27)$$

The constant  $k$  adjusts such that (26) is satisfied. Applying Ito's Lemma to the left hand side of (27) and equating drift and diffusion terms implies

$$\eta_t = \gamma \sigma_v (1 + \lambda(s_t)),$$

and

$$r_t^f = -\ln \delta + \gamma g + \gamma(1 - \phi)(\bar{s} - s_t) - \frac{\gamma^2 \sigma_v^2}{2} (1 + \lambda(s_t))^2. \quad (28)$$

Unlike (10), (28) does not require an approximation.

Specifying  $\lambda(s_t)$  as

$$\lambda(s_t) = (1/\bar{S}) \sqrt{1 - 2(s_t - \bar{s})} - 1$$

implies that (28) reduces to (11). In the continuous-time set-up, there is no need to require that  $\lambda(s_t)$  be identically zero above  $s_{\max}$ , as this will never occur.

To solve for the price of the consumption claim, note that any risky asset with price  $P$  that follows the process

$$\frac{dP_t}{P_t} = \mu_{P,t} dt + \sigma_{P,t} dZ_t$$

must satisfy the no-arbitrage condition

$$\mu_{P,t} - r_t^f = \sigma_{P,t} \eta_t. \quad (29)$$



As in Section 2, conjecture that the price of a zero-coupon consumption claim maturing at date  $t + \tau$  takes the form

$$P(C_t, s_t, \tau) = C_t F(s_t, \tau) \quad (30)$$

for some smooth function  $F$ . Applying Ito's Lemma to (30) and substituting into (29) indicates that (30) is satisfied, and that  $F$  solves the following partial differential equation:

$$g + \frac{1}{2}\sigma_v^2 + \frac{F_s}{F}(1 - \phi)(\bar{s} - s_t) - \frac{F_\tau}{F} + \frac{1}{2}\frac{F_{ss}}{F}\lambda(s_t)^2\sigma_v^2 + \frac{F_s}{F}\lambda(s_t)\sigma_v^2 - r_t^f = \left(\sigma_v + \frac{F_s}{F}\sigma_v\lambda(s_t)\right)(1 + \lambda(s_t))\gamma\sigma_v, \quad (31)$$

where  $F_s$ ,  $F_\tau$ ,  $F_{ss}$  denote appropriate first and second derivatives of  $F$ . Equation (31) thus characterizes prices of zero-coupon equity and provides an alternative route to a solution for the model in Section 1.

## References

- Abel, Andrew, 1990, Asset prices under habit formation and catching up with the Joneses, *American Economic Review Papers and Proceedings* 80, 38–42.
- Abel, Andrew, 1999, Risk premia and term premia in general equilibrium, *Journal of Monetary Economics* 43, 3–33.
- Ang, Andrew, and Jun Liu, 2003, How to discount cash flows with time-varying expected returns, forthcoming, *Journal of Finance*.
- Bekaert, Geert, Eric Engstrom, and Steve Grenadier, 2004, Stock and bond returns with moody investors, Working paper, Columbia University, Stanford University, and University of Michigan.
- Brandt, Michael W., and Kevin Q. Wang, 2003, Time-varying risk aversion and unexpected inflation, *Journal of Monetary Economics* 50, 1457–1498.
- Buraschi, Andrea, and Alexei Jiltsov, 2003, Term structures of interest rates in a monetary economy with habit formation, Working paper, London Business School.
- Campbell, John Y., 1986, Bond and stock returns in a simple exchange model, *Quarterly Journal of Economics* 101, 785–803.
- Campbell, John Y., and John H. Cochrane, 1999, By force of habit: A consumption-based explanation of aggregate stock market behavior, *Journal of Political Economy* 107, 205–251.
- Campbell, John Y., and John H. Cochrane, 2000, Explaining the poor performance of consumption-based asset pricing models, *Journal of Finance* 55, 2863–2878.
- Chan, Y. Lewis, and Leonid Kogan, 2002, Catching up with the Joneses: Heterogeneous preferences and the dynamics of asset prices, *Journal of Political Economy* 110, 1255–1285.
- Chen, Xiaohong, and Sydney C. Ludvigson, 2003, Land of addicts? An empirical investigation of habit-based asset pricing models, Working paper, New York University.
- Chen, Yu, Thomas F. Cosimano, and Alex A. Himonas, 2004, By force of habit: An exploration of asset pricing models using analytic methods, Working paper, University of Notre Dame.
- Constantinides, George M., 1990, Habit formation: A resolution of the equity premium puzzle, *Journal of Political Economy* 98, 519–543.

- Cox, John C., Jonathan C. Ingersoll, and Stephen A. Ross, 1985, A theory of the term structure of interest rates, *Econometrica* 53, 385–408.
- Dai, Qiang, 2000, From equity premium puzzle to expectations puzzle: A general equilibrium production economy with stochastic habit formation, Working paper, New York University.
- Duffee, Gregory R., 2004, Time-variation in the covariance between stock returns and consumption growth, forthcoming, *Journal of Finance*.
- Duffie, Darrell, 1996, *Dynamic Asset Pricing Theory*. (Princeton University Press Princeton, NJ).
- Gomes, Francisco, and Alexander Michaelides, 2003, Portfolio choice with internal habit formation: A life-cycle model with uninsurable labor risk, *Review of Economic Dynamics* 6, 729–766.
- Korniotis, George M., 2005, The unconditional equity premium with external habit and incomplete markets, Working paper, University of Notre Dame.
- Lettau, Martin, and Harald Uhlig, 2000, Can habit formation be reconciled with business cycle facts?, *Review of Economic Dynamics* 3, 79–99.
- Lettau, Martin, and Jessica A. Wachter, 2005, Why is long-horizon equity less risky? A duration-based explanation of the value premium, NBER working paper # 11144.
- Li, Yuming, 2001, Expected returns and habit persistence, *Review of Financial Studies* 14, 861–899.
- Mehra, Rajnish, and Edward Prescott, 1985, The equity premium puzzle, *Journal of Monetary Economics* 15, 145–161.
- Menzly, Lior, Tano Santos, and Pietro Veronesi, 2004, Understanding predictability, *Journal of Political Economy* 112, 1–47.
- Pastor, Lubos, and Pietro Veronesi, 2004, Rational IPO Waves, forthcoming, *Journal of Finance*.
- Sundaresan, Suresh M., 1989, Intertemporally dependent preferences and the volatility of consumption and wealth, *Review of Financial Studies* 2, 73–88.
- Tallarini, Thomas D., and Harold H. Zhang, 2004, External habit and the cyclicalities of stock returns, Forthcoming, *Journal of Business*.
- Wachter, Jessica A., 2000, Essays in Financial Economics, Ph.D. thesis Harvard University.

Wachter, Jessica A., 2005, A consumption-based model of the term structure of interest rates, forthcoming, *Journal of Financial Economics*.

Table 1: Parameter Choices

This table reports the assumed parameters in Campbell and Cochrane (1999) (CC) and Wachter (2005). The CC specification is simulated at a monthly frequency while the Wachter specification is simulated at a quarterly frequency. Parameters are annualized, e.g.  $12g$ ,  $\sqrt{12}\sigma$ ,  $\phi^{12}$  and  $\delta^{12}$  for the CC values, and  $4g$ ,  $2\sigma$ ,  $\phi^4$  and  $\delta^4$  for the Wachter values.

---

Parameters	CC Value	Wachter Value
Mean consumption growth (%) $g$	1.89	2.20
Standard deviation of consumption growth (%) $\sigma_v$	1.50	0.86
Utility Curvature $\gamma$	2.00	2.00
Coefficient on $-s_t$ in the riskfree rate $b$	0	0.011
Habit persistence $\phi$	0.87	0.89
Discount rate $\delta$	0.90	0.93

Table 2: Simulation Results: Campbell and Cochrane (1999) calibration

100,000 years of artificial data are simulated based on the Campbell and Cochrane calibration in Table 1 for the fixed-point and series methods, and for Grids 1 (coarse), 2, and 3 (fine) as described in Section 4. The model is simulated at a monthly frequency and results are aggregated to an annual frequency. Data moments are calculated using annual data from 1947 to 1995.

Moment/Grid	Fixed Point			Series			Data
	1	2	3	1	2	3	
$E(r^m - r^f),\%$	6.59	5.18	3.89	4.44	4.19	3.90	6.69
$\sigma(r^m - r^f),\%$	15.05	11.80	8.23	9.51	9.00	8.25	15.70
Sharpe Ratio	0.44	0.44	0.47	0.47	0.47	0.47	0.43
Skewness	0.26	0.12	0.04	0.07	0.06	0.04	-0.53
Kurtosis	4.58	3.87	3.37	3.49	3.44	3.37	3.35
$E(r^f),\%$	0.94	0.94	0.94	0.94	0.94	0.94	0.94
$\exp\{E(p - d)\}$	18.62	24.35	34.66	29.30	31.43	34.52	24.70
$\sigma(p - d)$	0.27	0.21	0.13	0.16	0.15	0.13	0.26
$\text{Corr}(p - d)$	0.86	0.85	0.84	0.84	0.84	0.84	0.87

Table 3: Simulation Results: Wachter (2005) calibration

400,000 quarters of artificial data are simulated based on the Wachter calibration in Table 1 for the fixed-point and series methods, and for Grids 1 (coarse), 2, and 3 (fine) as described in Section 4. The model is simulated at a quarterly frequency. Results are reported in annual terms (expected returns are multiplied by 4, and the standard deviation of returns is multiplied by 2). Data moments are calculated using quarterly data from 1952 to 2004.

Moment/Grid	Fixed Point			Series			Data
	1	2	3	1	2	3	
$E(r^m - r^f),\%$	5.86	5.43	5.64	5.65	5.64	5.65	5.21
$\sigma(r^m - r^f),\%$	17.24	16.07	16.10	16.14	16.11	16.14	15.93
Sharpe Ratio	0.34	0.34	0.35	0.35	0.35	0.35	0.33
Skewness	0.33	0.32	0.33	0.33	0.33	0.33	-0.95
Kurtosis	4.04	3.86	3.83	3.83	3.83	3.83	4.91
$E(r^f),\%$	1.47	1.47	1.47	1.47	1.47	1.47	1.46
$\exp\{E(p - d)\}$	20.68	22.31	21.39	21.34	21.35	21.33	31.50
$\sigma(p - d)$	0.34	0.31	0.31	0.31	0.31	0.31	0.33
$\text{Corr}(p - d)$	0.97	0.97	0.97	0.97	0.97	0.97	0.97




Figure 1: The price-dividend ratio as a function of surplus consumption  $S_t$  under Grids 1 (coarse), 2, and 3 (fine). FP denotes the fixed-point method and Ser. denotes the series method.






Figure 2: Percent difference in the price-dividend ratio between the grid with the lowest minimum value and grids with greater minimum values. Lines with triangles denote computations with the fixed-point (FP) method, lines with circles denote computations with the series method. The number of grid points in the lower segment is equal to three times the minimum value. The number of grid points in the upper segment is equal to 100. The difference is evaluated at  $S_{\max}$ . The  $y$ -axis scale differs for the upper and lower graphs.





Figure 3: Percent differences in the price-dividend ratio between the grid with the most density in the lower segment and grids with less density in the lower segment. Lines with triangles denote computations with the fixed-point (FP) method, lines with circles denote computations with the series method. The minimum value is equal to  $-300$ . The number of grid points in the upper segment is equal to 100. The difference is evaluated at  $S_{\max}$ .





Figure 4: Percent difference in the price-dividend ratio between the grid with the most points in the upper segment and grids with fewer points in the upper segment. Lines with triangles denote computations with the fixed-point (FP) method, lines with circles signs denote computations with the series method. The minimum value is equal to  $-300$ . The number of grid points in the lower segment is equal to  $900$ . The difference is evaluated at  $S_{\max}$ .

## **The Rodney L. White Center for Financial Research**

The Wharton School  
University of Pennsylvania  
3254 Steinberg Hall-Dietrich Hall  
3620 Locust Walk  
Philadelphia, PA 19104-6367

(215) 898-7616

(215) 573-8084 Fax

<http://finance.wharton.upenn.edu/~rlwctr>

The Rodney L. White Center for Financial Research is one of the oldest financial research centers in the country. It was founded in 1969 through a grant from Oppenheimer & Company in honor of its late partner, Rodney L. White. The Center receives support from its endowment and from annual contributions from its Members.

The Center sponsors a wide range of financial research. It publishes a working paper series and a reprint series. It holds an annual seminar, which for the last several years has focused on household financial decision making.

The Members of the Center gain the opportunity to participate in innovative research to break new ground in the field of finance. Through their membership, they also gain access to the Wharton School's faculty and enjoy other special benefits.

### **Members of the Center**

**2005 – 2006**

#### *Directing Members*

**Aronson + Johnson + Ortiz, LP  
Geewax, Terker & Company  
Goldman, Sachs & Co.  
Morgan Stanley  
Merrill Lynch  
The Nasdaq Educational Foundation  
The New York Stock Exchange, Inc.  
Twin Capital**

#### *Founding Members*

**Ford Motor Company Fund  
Merrill Lynch, Pierce, Fenner & Smith, Inc.  
Oppenheimer & Company  
Philadelphia National Bank  
Salomon Brothers  
Weiss, Peck and Greer**